



UNIFIED COMMUNICATIONS**BİLGİLER****Otomatik odaklı 4K Grup Toplantısı/Konferans web kamerası**

2D ve 3D gürültü giderme teknolojilerine sahip 13MP UC CAM80UM, düşük ışık koşullarında bile olağanüstü pürüzsüzlük ve ayrıntı sunar. Entegre 2 mikrofon dizisi, sesi 4 metreye kadar uzaktan algılar. Kurulumu kolay ve 10 derecelik açı ayarıyla 360 derecelik yatay dönüşü destekleyen bu ortak alan kamerası, Zoom, Skype, Microsoft Teams ve daha fazlası gibi tüm önde gelen konferans yazılımlarını destekler.



80° field of view

The field of view means the viewable area one can see through the camera lens. It translates directly to how much of your meeting space will be visible to the participants joining remotely. An 80° FoV is perfect for huddle spaces which usually seat two to four people.



Auto-focus & TLens®

With the TLens® technology guaranteeing seamless transitions, your camera can quickly focus on your face, from the moment you sit in front of the lens to start the meeting.



ÖZELLİKLER

01 KAMERA

Piksel	13M
Supported resolutions	2160p/30fps, 1440p/30fps, 1080p/30fps
Çapraz görüş alanı (dFoV)	80°
Odak modu	auto
Diyafram	2.2

02 SES

Mikrofon dizisi sayısı	2
Ses alma mesafesi	4m
Ses alma açısı	180°

03 MEKANİK

Eğim açısı	≤10°
Döndürme	360°

04 ÖLÇÜLER / AĞIRLIK

Ürün boyutları G x Y x D	117 x 53.5 x 48.5mm
Kutu boyutları G x Y x D	154 x 86 x 82mm
Ağırlık (kutu hariç)	0.16kg
Ağırlık (kutu ile birlikte)	0.31kg
EAN kodu	4948570033003

05 İLGİLİ BİLGİ

İlgili ürünler [UC CAM120ULB-1](#), [UC CAM120UL-1](#), [UC CAM180UM-1](#), [UC CAM75FS-1](#), [UC SPK01M](#), [UC SPK01L](#)



All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects. © IYAMA CORPORATION. ALL RIGHTS RESERVED