

## UNIFIED COMMUNICATIONS

## Compact Full HD webcam with privacy shutter

Both at home and in the office, the UC CAM75FS ensures you can enjoy all the benefits of video meetings. The integrated two microphone array detects audio from up to 4 metres away delivering high quality audio with no annoying background noise or distortion.

It supports all the leading conferencing software like Zoom, Skype, Microsoft Teams, and the simple yet effective privacy shutter guarantees the camera can only see you when you want it to.

---

## 77° field of view

The field of view means the viewable area one can see through the camera lens. It translates directly to how much of your meeting space will be visible to the participants joining remotely. A below 80 degrees field of view is a perfect choice for your desktop set-up.

---

## 2D & 3D Digital Noise Reduction

Delivering high image quality, these two image denoising technologies combined ensure crisp and clear visuals for video and photos, even in low light conditions.

---

## Clear, crisp and natural audio

Featuring an advanced noise reduction algorithm, the integrated 2-element mic array detects audio from up to 4 metres away, delivering high quality audio free from any annoying background noise or distortion.

---

## Privacy shutter

A manual switch shutter is one you can easily slide closed to ensure your camera can only see you when you want it to.

## SPECIFICATION

### 01 CAMERA

<b>Pixels</b>	2M
<b>Nativní rozlišení</b>	Full HD 1080p
<b>Supported resolutions</b>	1080p/30fps, 720p/30fps, 576p/30fps
<b>Diagonal field of view (dFoV)</b>	77°
<b>Focus mode</b>	fixed
<b>Focus distance</b>	1m
<b>Aperture</b>	2

### 02 DŹWIĘK

<b>Number of microphone arrays</b>	2
<b>Voice pickup distance</b>	4m
<b>Voice pickup angle</b>	180°

### 03 CONNECTIVITY

**Camera** USB Type-C

### 04 UDRŽITELNOST

**Předpisy** CE, RoHS support, ErP, WEEE, REACH

### 05 ROZMĚRY / HMOTNOST

<b>Rozměry výrobku Š x V x D</b>	80 x 69.5 x 38mm
<b>Rozměry balení Š x V x D</b>	96 x 71 x 56mm
<b>Váha (bez balení)</b>	0,05kg
<b>Váha (s balením)</b>	0.1kg
<b>EAN code</b>	4948570032990

### 06 SOUVÍSEJÍCÍ INFORMACE

**Související produkty** [UC CAM120ULB-1](#), [UC CAM120UL-1](#), [UC CAM180UM-1](#), [UC CAM80UM-1](#), [UC SPK01M](#), [UC SPK01L](#)

## GALERIE

---

UC\_CAM75FS(11).jpg

UC\_CAM75FS(20).jpg

UC\_CAM75FS(10).jpg

Všechny ochranné známky jsou registrovány a chráněny. Vyhrazené právo na změny. Veškeré ploché panely LCD splňují normu ISO-9241-307:2008 v oblasti počtu vadných pixelů. © IYAMA CORPORATION. ALL RIGHTS RESERVED